



EX-HII Type Servo Semi Auto Flute Laminator Machine



The machine operation is stable, surface paper with corrugated paper joint very Accurate. The corrugated paper never pulls ahead, surface paper' s location is easy adjust.

Machine uses touch screen/PLC/servo motor control system, the circuit system is stable, and can automatically display the failure alarm.

Automatic gluing, and the glue can be used circulatory, avoid glue waste.

Functions and features:

- The top paper can pile up the height of 1.5m once time, it makes delivery easier and more efficient.
- Using suction feeding automatic of bottom sheet, according to the main machine operating speed, continuous automatic tracking.
- The machine operation is stable, surface paper with corrugated paper joint very Accurate. The corrugated paper never pulls ahead, surface paper' s location is easy adjust.
- Machine uses touch screen/PLC/servo motor control system, the circuit system is stable, and can automatically display the failure alarm.
- Automatic gluing, and the glue can be used circulatory, avoid glue waste.
- Roller design scientifically, avoid glue fly out when the speed is high.
- Pressure rollers adopt unilateral adjustment, convenient and fast.
- Rocker controls wash roller' s fluctuation, easy cleaning.
- Counter designs scientifically, easy recording the amount you have been worked.



TECHNOLOGICAL PARAMETER:

Model	EX-130HII	EX-1600HII
Max size of cover face	1300X1250mm	1600X1250mm
Mix size of cover face	400mmX400mm	400mmX400mm
Top paper thickness	140-800g	140-800g
Bottom sheet thickness	2/4 ply A/B/C/E/F Flute	2/4 ply A/B/C/E/F Flute
Machine speed	0-100m/min	0-100m/min
Precision	±1mm	±1mm
Power	9 kw	9 kw
Size	10m x 2m x 2.9m	10m x 2.3m x 2.9m
Weight	About 3000kg	About 3500kg

QUALITY ASSURANCE AND SERVICE ASSURANCE:

1. The product design obeys the user's opinion, constantly improves, and ensures the stability and humanization of the whole machine from the design point of view.
2. The company's quality control department to purchase, processing, assembly of all aspects of quality supervision and management, multi-angle management to ensure the implementation of the company's product quality management.
3. The company quality control department to each finished product in accordance with the factory product standards for inspection.
4. Strong technical strength and efficient after-sales service team guarantee to solve all kinds of problems in the process of customer use, perfect quality information feedback management, make the product improve quickly, and always be in the leading position of technology.



SHANGHAI EX. EXPORT INTERNATIONAL INDUSTRY CO., LTD





SHANGHAI EX. EXPORT INTERNATIONAL INDUSTRY CO., LTD

