



EX50S Paper Bag Bottom Gluing Machine




Product Introduction


EX50S bottom gluing machine automatically feeding unclosed paper bag, after open bottom, insert bottom cardboard (not intermittent type), auto spray glue, bottom close and compaction out to realize the bottom close and cardboard insert function. This machine is controlled by touch screen, equipped 4 nozzles hot melt spraying system which can control the spraying length and quantity independently or synchronously. This machine spray glue evenly by high speed and precision, which can produce various kinds of paper bags.

Suitable Paper

Suitable Paper: Kraft paper, art paper, white board and ivory paper



Technological Process




Technical Parameters

Bottom Width	80-175mm	Bottom Card Width	70-165mm
Bag Width	180-430mm	Bottom Card Length	170-420mm
Sheet Weight	190-350gsm	Bottom Card Weight	250-400gsm
Working Power	8KW	Speed	50-80pcs/min
Total Weight	3T	Machine Size	11000x1200x1800mm
Glue type	Hot melt glue		



Standard Configuration

	<p style="text-align: center;">Feeder</p> <p>Enhanced pre-stack bag feeder to realize non stop paper feeding, greatly save the time to load and adjust raw paper.</p>
	<p style="text-align: center;">Hot-melt Gluing System</p> <p>American Nordson brand spray gluing</p>

Main Part and Origin

No.	Name	Origin	Brand	No.	Name	Origin	Brand
1	Controller	Taiwan China	Delta	7	Photoelectric switch	Germany	SICK
2	Servo motor	Taiwan China	Delta	8	Air switch	France	Schneider
3	Motor	China	Xinling	9	Main Bearing	Germany	BEM
4	Frequency converter	France	Schneider	10	Hot melt glue system	America	Nordson
5	Button	France	Schneider	11	Paper delivery belt	China	Tianqi
6	Electric relay	France	Schneider				