


SGZ-C-UI1040Z-A Automatic Coating Machine







SGZ-C-UI 1040Z-A Technical Parameters:

Max. sheet size:	1040*1040mm
Min. sheet size:	307*440mm
No.× UV lamp:	3× 9.75kw
No.× IR lamp:	18× 1.8kw
Paper weight:	80-450gsm
Max. speed:	8000sph
Weight:	7.2 t
Overall dimensions:	12720*1930*2130mm

PLC+Button control



Auto Feeder with Pre-pile for easy clean and maintenance





Feeder with four suction and four feeding



One piece cast varnish unit, high-speed running





Three roller and two motors driving unit with stable varnishing



Rubber roller with USA rubber material, long lifespan and stable quality:






Closed organic glass cover to avoid dust and volatilization.



Air knife unit, used for thin paper above 80gsm.





With TAIWAN pneumatic parts to ensure no error within five million times action



Special IR hot wind drying system with fast and exhaustive drying





Open-type pneumatic lifting UV curing box with ease change



Automatic delivery part which could set pneumatic jogging times according to paper weight



TOOL				
Order	Name	Qty	Unit	Remark
1	electro probe	1	рс	
2	oil gun	1	рс	
3	spanner	1	рс	10#
4	Cross screw spanner; Straight screw spanner	1	рс	6#
5	inner hexagon spanner	1	set	
6	Glue for conveyor belt joint	30	g	
7	Conveyor hot sealing machine	1	рс	SY-99
8	Feeder handles	1	рс	

Spare par	t			
Order	Name	Qty	Unit	Remark
1	Down scraper	1	рс	1200 model length 1080
2	Up scraper	1	рс	1200model length 1150
3	suction belt	2	рс	50×1.2mm× 1400
4	Nozzle with rubber ring	20	рс	
5	Feeding machine conveyor belt	2	рс	50×1.2×2800
6	Stacker conveyor	2	рс	50×1.2×3080
7	UV lamp	2	рс	1200 model
8	Intermediate relay	2	рс	MY2NJ.24VDC
9	Solenoid valve coil	1	рс	2W-250-25 AC220V
10	Jam paper photoelectric	1	рс	OBDW-M6112NA(with tissue equipment)
11	spring	1	рс	
12	IR lamp	3	рс	
outsourci	ng spare part:			