



## SWAFM-1050 Fully Automatic Laminator



Instant Electromagnetic Heater:

Heat up time shorten to 90 seconds, accurate temperature control:  $\pm 1^{\circ}\text{C}$

Feel free to peruse our inventory of protective film laminating machine for sale.

### Specifications:

Model	SWAFM-1050
Max Paper Size	1050x820mm
Min Paper Size	300x300mm
Paper Thickness	105-500g/m <sup>2</sup>
Laminating Speed	0-65m/min
Gross Power	22kw
Total Weight	3800kg
Overall Dimensions	5200x2200x1900mm
Pre-stacker	1850mm



## Configuration:

### 1. Auto feeder



This machine is equipped with a paper pre-stacker, Servo controlled feeder and a photoelectric sensor to ensure that paper is continuously fed into the machine.

### 2. human-computer interface



A user-friendly interface system with a color touch-screen simplifies the operation process. The operator can easily and automatically control paper sizes, overlapping and machine speeds.

### 3. Electromagnetic heater






# SHANGHAI EX. EXPORT INTERNATIONAL INDUSTRY CO., LTD

Equipped with advanced electromagnetic heater. Fast pre-heating. Energy saving. Environmental protection.

## 4. Separation system



Pneumatic separation system to separate the paper stably and quickly.


## 5. Overlapping regulator

## 6. Anti-curvature device



The machine is equipped with an anti-curl device, which ensures that paper remains flat and smooth during the lamination process.


## 7. Corrugated delivery



A corrugated delivery system collects paper easily.



## 8. Automatic stacker



Automatic stacker receives the sheets quickly in order without stop the machine as well as counter the sheets

## 9. Film loader



Operating the film loader is easy and efficient to use.